## Heavy Duty Adjustable Metal Stand Manual



## Safety

At no time shall 360 Hunting Blinds be liable for any accidents due to falls from the hunting blind. We recommend that you follow standard safety procedures when entering and exiting the blind, such as the use of safety harnesses, climbing ropes, etc.

Heavy Duty Adjustable metal stand kit (adjusts from 8'-11')



Disassemble the kit and make sure you have all the parts pictured here.



You will need the following tools to assemble your stand.... Level, band cutter to cut the strapping holding the kit together, 3/4 wrench, ratchet or impact gun with 1/2 inch socket, ratchet or impact gun with 3/4 inch socket.



Turn the floor upside down and use the lags to attach legs to the floor of the blind. See photos 5, 6, and 7 for more detail so legs get installed correctly.



The edge of the leg bracket should be even with the edge of the 4x4 in the bottom of the blind floor.



Install lags as shown.




Note all 4 legs installed. IMPORTANT!! Make sure the legs with the extra bracket for the ladder platform get installed on the "Door" side of the floor as shown in the picture!



Install horizontal braces as shown.



Tighten bolts as shown.



Install the diagonal cables between the legs of the blinds and hand tighten.



Now it is time to turn the stand right side up.



**12** 



1 3 Make sure cables are firmly seated as shown.



Tighten all the turn buckles with a wrench or similar tool,



Make sure all turn buckles are tightened approximately the same. This helps to keep everything square.



Now is the time to make sure your stand is level. The bolts in the bottom part of the legs can be removed and the inner leg adjusted up or down to level the stand.




Attach the platform as shown.



18 Fasten the nut onto the end of the platform. This keeps the platform in place.



Attach the ladder to the platform as shown,



If the ladder needs to be extended remove the bolts that allow the inner part of the ladder to extend. Add steps as needed.




21 See additional step installed at bottom of ladder.



Now refer to your 360 Hunting Blind Assembly Manual to set up your wall panels before proceeding to the next step.

23 Install handrails on either side of ladder platform.



**24** The finished product!



